robot of coupe®



CL50 • CL50 Ultra • CL52 VEGETABLE PREPARATION MACHINES



RESTAURANTS - INSTITUTIONS - DELICATESSENS - CATERERS









Stainless steel motor base for long
 life and easy cleaning.

• All metal vegetable preparation for higher resistance.

• 2 Hoppers in a single head:

One **large hopper full moon** (area 227 cm²) for cutting large products such as cabbage, potatoes, lettuce etc...

- One **round hopper** (Ø 58 mm) for long vegetables and elicate cutting i.e. tomatoes.

 A removable wall for optimum cutting results, highly recommended for potatoes or tomato slices.

> One speed of 375 rpm ideal for dicing. French fries as also delicate products processing and for a wide variety of sizes for slicing, grating and julienne.

> These models offer the widest range of dicing grids sizes (from 5 x 5 x 5 mini to 25 x 25 x 25 maximum). This will give you some ideas for new sizes presentations.

 For maximum user safety, these 3 models are all equipped with a magnetic safety system patented by Robot-Coupe. This system stops the motor as soon as the larger hopper is opened and prevents any access to cutting parts while in operation.



robot a coupe

CL 50 Ultra

• Stainless steel motor base

• 2 Feed hoppers in a single head:

One large hopper half moon (area 121 cm²) for cutting etables such as cabbage and potatoes etc...

One **round hopper** (Ø : 58 mm) for long vegetables and delicate cuttingi.e; tomatoes.


 These models are equipped with automatic restart of the machine with the pusher for a better use comfort and fast processing.


VEGETABLE PREPARATION MACHINES

TABLE-TOP

MODELS

- The Robot-Coupe range of vegetable preparation machines is the result of many years experience with professional caterers from all over the world. Our table-top models represent the widest and most advanced range available.
- Robot-Coupe has developed a vegetable preparation machine for all menu requirements for all styles of restaurants. Green vegetables, fresh salads and fruit can be quickly and efficiently prepared when using our machines.
- A complete selection of stainless steel discs for slicing, ripple cut slicing, juliennes and grating guarantee an outstanding quality of cut for all types of fruit and vegetable preparation.
- All models are built to comply with the latest safety and hygiene standards. Whichever model
 you choose from this range, it will be an investment in quality and time saving.





CL 50 CL 50 Ultra CL 52 0.8 mm, 1 mm, 2 mm, 3 mm, 4 mm, 5 mm, 8 mm, 10 mm, 14 mm. Ripple cut 2 mm, 3 mm,

1.5 mm, 2 mm, 3 mm, 4 mm, 5 mm, 7 mm, 9 mm.

Parmesan. Radish 1 mm. 2 x 2 mm, 2 x 4 mm, 2 x 6 mm, 4 x 4 mm, 6 x 6 mm, 8 x 8 mm. French fries 8 x 8 mm French fries 10 x 10 mm. 5 x 5 x 5 mm, 8 x 8 x 8 mm, 10 x 10 x 10 mm, 14 x 14 x 14 mm, 20 x 20 x 20 mm. 25 x 25 x 25 mm

	CL 50	CL 50 Ultra	CL 52
Operating time	up to 250 kg/h	up to 250 kg/h	up to 300 kg/h
Processing time	up to 5 kg/mn	up to 5 kg/mn	up to 7 kg/mn
Number of covers	20 to 300 +	20 to 300 +	50 to 400 +







INDUCTION MOTOR

- Commercial asynchronous motor for heavy duty to guarantee longer life and reliability.
- Motor has operation ball bearings for silent, without vibration.
 - Extra power
 - No maintenance
 - No brushes.
 - Stainless steel motor shaft



robot of coupe®



Slicer		ref.
0,8 mm		28069
1 mm		28062
2 mm		28063
3 mm		28064
ripple cut		27068
ripple cut	3 mm	27069



Slicer	ref.
4 mm	28004
5 mm	28065
8 mm	28066
10 mm	28067
14 mm	28068
ripple cut 5 mm	27070



Dicing equipment	ref.
5 x 5 mm	28110
8 x 8 mm	28111
10 x 10 mm	28112
14 x 14 mm	28113
20 x 20 mm	28114
25 x 25 mm	28115



Julienne		ref.
2 x 2 mm	(celeriac)	28051
2 x 4 mm		27072
2 x 6 mm	(strips)	27066
2 x 8 mm		27067
3 x 3 mm	• •	28101
4 x 4 mm		28052
6x6mm		28053
8 x 8 mm		28054
	es 8 x 8 mm	28134
French frie	es 10 x 10 mm	28135



Grater	ref.
1,5 mm	28056
2 mm	28057
3 mm	28058
4 mm	28073
5 mm	28059
7 mm	28016
9 mm	28060
parmesan	28061
radish	28055

STANDARDS: MACHINES IN COMPLIANCE WITH: • The following European directives and related national legislation: 98/37/EEC, 73/23/EEC, 89/336/EEC, 89/109/EEC, 90/128/EEC. • The following European harmonized standards and standards setting out health and safety rules: EN 292 - 1 and - 2, EN 60204 -1 (1992), EN 1678. INDEXES OF PROTECTION: • IP 55 for the switches. • IP 34 for the machines.

We reserve the right to alter at any time without notice the technical specifications of this appliance. None of the information contained in this document is of a contractual nature. Modifications may be made at any time.

© All rights reserved for all countries by : ROBOT-COUPE s.n.c.

mar

CL 50

Dimensions (in mm) A=555 B=350 C=300

Weight net 15 kg Weight gross 18 kg

Single-phase 230 V/50 Hz 550 W. - 5,7 Amp. Speed 375 rpm.

Three phase 400 V/50Hz 600 W. - 1,7 Amp. Speed 375 rpm.

Other voltages available.

CL 50 Ultra

Dimensions (in mm) A=555 B=350 C=300

Weight net 15 kg Weight gross 18 kg

Single-phase 230 V/50 Hz 550 W. - 5,7 Amp.

Speed 375 rpm.

Three phase 400 V/50Hz 600 W. - 1,7 Amp. Speed 375 rpm.

Other voltages available.

CL 52

Dimensions (in mm) A=640 B=360 C=300

Weight net 21 kg Weight gross 24 kg

Single-phase 230 V/50 Hz 750 W. - 4,2 Amp.

Speed 375 rpm.

Three phase 400 V/50Hz 750 W. - 2,0 Amp. Speed 375 rpm.

Other voltages available.










CL 52





MADE IN FRANCE BY ROBOT-COUPE S.N.C.

Head Office, French, Export and Marketing Department:
Tel.: + 33 1 43 98 88 33 - Fax: - 33 1 43 74 36 26
18, rue Clément Viénot - BP 157 94305 Vincennes Cedex - France
http://www.robot-coupe.fr - email : international@robot-coupe.com

Robot-Coupe Australia: Tél.: 02-9417 6233 - Fax: 02-9417 6787 P.O. Box 146 - Northbridge NSW 1560 - http://www.robotcoupe.com.au **Robot-Coupe U.K. LTD :** Tel. : 020 8232 1800 - Fax : 020 8568 4966 2, Fleming Way, Isleworth, Middlesex TW7 6EU - http://www.robot-cou

Robot-Coupe U.S.A.: Ph.: 1-800-824-1646 - Fax: 601-898-9134
P.O. Box 16625 - Jackson, Mississippi 39236-6625 - http://www.robotcoupeusa.com

DISTRIBUTOR